





No range anxiety

The Max. speed is 100km/h, and the Max. range in energy-saving mode (ECO) can reach 400 km

Low usage cost

The annual comprehensive operating cost is less than **1/15** of that of gasoline vehicles

More usage scenarios

After folding the rear seats, you can obtain a huge space of **1500**L

Can be commercialized

MINIMALIST DESIGN

The "square and rounded corners" design of the vehicle is highly recognizable;

Simple and practical, make travel more interesting



29_{kw}

27_{.64kWh}

100_{Km/h}

332_{km}

339_{cm}

165_{cm}

160_{cm}

227_{cm}

Peak power

Battery

Max speed


Max range

Body length

Body width

Body height

Wheelbase



MAGIC SEAT





THE REAR SEATS CAN BE FOLDED TWICE THEN LAID FLAT

SIMPLE AND FLEXIBLE

Standard EPS, low speed, light and stable adjustment

The minimum turning radius is only 5m, which is convenient for turning

Front McPherson independent suspension, rear towed non independent suspension, stable operation







PROTECT YOUR TRAVEL SAFETY



CAGE BODY STRUCTURE
SIDE ANTI-COLLISION BEAM



STANDARD ABS+EBD+EDR



REAL TIME TIRE PRESSURE MONITORING



SAFETY BELT, CHILD LOCK, CHILD SEAT INTERFACE






EPS AS STANDARD, EASY TO DRIVE

THE MINIMUM TURNING REDUCTION IS ONLY 5M

29 KW PEAK POWER 115 N.M PEAK TORQUE




STRONG POWER,
LET THE DRIVING RECKLESSLY SPRINKLES



THE WHOLE VEHICLE IS EQUIPPED WITH

ON-BOARD DIAGNOSIS SYSTEM







MONITOR VEHICLE INFORMATION AT ALL TIMES







































Low beam

High beam

Rear fog Light

Daytime Running Light

Position light

Turn light

Brake light

Reverse light Warning light










155/65R13 VACUUM TIRE

ALUMINUM ALLOY WHEEL HUB

WINDSHIELD & WIPER

DOT CCC E4





DOOR HANDLE & LOCK

OPENING AND CLOSING OF BACKUP DOOR





















- LCD INSTRUMENT PANEL






9-INCH TOUCH SCREEN







- PIANO FUNCTION KEY






WINDOW DEFROSTING

GLASS DEFROSTING























WIDE DRIVING SPACE AND COMFORTABLE OPERATION






FULL FLAT FLOOR





THE SEAT CAN BE LAID FLAT SEPARATELY





MAIN PARAMETER

EQ-130

29_{KW}

100_{Km/h}

Motor Peak power

Maximum speed

138_{Km}

750_{Kg}

Maximum range

Curb weight

10.36KWh

LFP

Battery capacity

Battery type



Body size(mm): 3390*1650*1600

Wheelbase(mm): 2275

Chassis ground clearance(mm): 210

Track width(mm): 1450

Tire Size: 155/65R13 (Steel Wheel)

Number of doors: 5

Seat material: Fabric seat

Number of seats: 4

MAIN PARAMETER

EQ-330

29_{KW}

100 Km/h

Motor Peak power

Maximum speed

332_{Km}

880_{Kg}

Maximum range

Curb weight

27_{64KWh}

NCM

Battery capacity

Battery type



Body size(mm): 3390*1650*1600

Wheelbase(mm): 2275

Chassis ground clearance(mm): 210

Track width(mm): 1450

Tire Size: 155/65R13 (Steel Wheel)

Number of doors: 5

Seat material: Fabric seat

Number of seats: 4

THE END